D.L.C. & ASSOCIATES
7611 MAIN STREET
RALSTON, NEBRASKA 68127

CATALOG No. 110

"Mephisto"



MEPHISTO TOOL CO., INC. • HUDSON, N. Y. 12534

Mephisto takes pride in presenting herein a complete line of quality hand tools designed for industry, obtainable from one manufacturer. Since 1830 MEPHISTO has built a reputation for quality of product, reliability of service and a sound business relationship with all of our distributors and consumers.

MANUFACTURER'S GUARANTEE

All "MEPHISTO" tools are guaranteed against defects in material and workmanship.

TERMS

Cash discount of 2% allowed if remittance is made by 10th of month following date of invoice. All shipments are net 30 days from date of invoice.

FREIGHT ALLOWANCE

Transportation charges prepaid and allowed on all shipments of 150 lbs. or $200.00 net invoice.

NATIONALLY AVAILABLE

through the speed and economy of

"LOCAL SERVICE"

From Industrial, Hardware, Electrical and Plumbing Distributors

The next time you need supplies, call a Mephisto Distributor.

He will economically supply what you need – when you need it!

THE MEPHISTO TOOL CO., INC.

P. O. BOX 16 – UNION TURNPIKE

HUDSON, NEW YORK 12534

PHONE: 518–828-1563

Mephisto

INDUSTRIAL
QUALITY TOOLS

SINCE 1830

ALPHABETICAL INDEX

ITEM	Page
ADJUSTABLE WRENCHES	13
BITS	
Auger-Hand	4
Auger-Power	2
Carbide	5
Expansive	2, 4
Electricians	2, 4
Extensions	3, 4
Feeler-Bell Hanger	2, 4
Highspeed Steel	5
Masonary	5
Pole	3
Quick-change Impact	3
Sets	3, 4
Speed (Flat)	3
BRUSHES	
Copper Fitting	13
Tube Cleaning	13
CHALK	
Lines	8
Reels	8
Refills	8
CALKING IRONS	
All Types	16
CHISELS	
Brick	12
Flat Brick	12
Large Brick	12
Bull Nose	12
Cape	12
Cold	12
Floor	12
Plumbers	12
Sets	12
Soil	12
Wood	12
COPPER WORKING TOOLS	13
DRILL BITS – H.S.S.	5
EXTENSION BIT HOLDER	3,4
FAUCET SEAT REMOVER	13
FLARING TOOLS	13
HAMMERS	
Ball Pein	6
Calking	6
Drilling	6
Electricians	6
Fiberglass handled	6
Handles	6
Nail	6
Rip	6
HANDY BARS	6
HEX KEYS	
Sets	14
Wrenches	14
KNIVES	
Electricians	13
Linesman's	13
Utility	11
LEVELS	7
MASONARY BITS	5
NAIL PULLERS	6
NUT DRIVERS	9
PACKING TOOLS	
Offset	16
Short	16
Straight	16
PICKS	
Lead, L and R	16
PLIERS	
All Types	10
Grips	10
Power Locking	10
PLUMBOBS	13
PUNCHES	
Center	12
Pin	12
Prick	12
Sets	12
Solid	12
Taper	12
RULES	
Extension	8
Steel Tape	8
Straight Edge	8
Wooden	8
SAWS	
Blades	14
Compass	14
Hack (Frame)	14
Midget	14
Sabre	15
Reciprocating	15
SCRATCH AWLS	9
SCREWDRIVERS	9
SNIPS-NIBBLERS	10, 11
SPUD WRENCHES	13
STAR DRILLS	5
STRAIGHT EDGES	8
SQUARES	
Carpenters	7
Combination	7
Giant	7
Paneling – Drywall	7
TOOL BOXES	11
TRIMMING IRONS	16
TUBING BENDERS AND CUTTERS	13
WATERMAN IRONS	16
WRECKING BARS	6
WRENCHES	
Adjustable	13
Hex Key	14
No-Hub	9

EDP NUMBERS
(Electronic Data Processing)



ELECTRONIC DATA PROCESSING NUMBERS MEAN

EASE OF ORDERING

IN PREPARING FOR THE FUTURE, **MEPHISTO** HAS ASSIGNED EDP (ELECTRONIC DATA PROCESSING) NUMBERS TO ITEMS IN OUR NEW CATALOG.

QUANTITY AND EDP NUMBERS ARE ALL THAT IS REQUIRED WHEN ORDERING STOCK ITEMS.

FASTER DELIVERY

CLEAR CONCISE DOCUMENTATION

FOR ELECTRIC POWER DRILL – AUGER BITS

BELL HANGERS - FEELER BITS

¼" Hex Shank

Hole in flute for pulling wires. Point designed for fast drilling in wood with an electric drill.

Recommended usage: For installing telephone, electric alarm and small wires.

No.	Size	Doz. Wgt.
25001	1/4 x 18"	2½
25002	5/16 x 18"	4
25003	3/8 x 18"	5½
25004	1/4 x 24"	4
25005	5/16 x 24"	6½
25006	3/8 x 24"	7

ELECTRICIAN'S BIT

¼" Hex Shank

A fast double twist, smooth boring bit designed for power use.

Recommended usage: For electricians, plumbers and pipe fitters where fast boring is needed when installing cable, conduit and romex.

No.	Size	Doz. Wgt.
25010	1/4 x 7"	1
25011	3/8 x 7"	1¼
25012	1/2 x 7"	1½
25013	5/8 x 7"	2½
25014	11/16 x 7"	3
25015	3/4 x 7"	3¼
25016	13/16 x 7"	3¼
25017	7/8 x 7"	4
25018	15/16 x 7"	4¼
25019	1" x 7"	4½

EXPANSIVE BIT

Features a clamp and screw for locking cutter into place. Has open throat for fast chip removal. Features medium screw pitch fully polished.

Recommended for general boring.

No.	Size	Doz. Wgt.
25021	1/2-1-1/2x1/4 Sh.	4
25022	7/8-3 x 3/8 Sh.	8

EXPANSIVE CUTTERS

No.	Size	Doz. Wgt.
25023	Cuts 1/2- 7/8"	1/8
25024	Cuts 7/8-1-1/2"	1/4
25025	Cuts 7/8-1-3/4"	1/2
25026	Cuts 1-3/4-3"	3/4

EXTRA LONG DOUBLE TWIST BIT



18" OAL

Extra long, double twist. one piece forged electricians bit with 7/16" hex shank.

Recommended for electricians, plumbers, pipe fitters and pole use where fast boring and a long reach is required.

No.	Size	Doz. Wgt.
25030	5/8 x 18"	9
25031	11/16 x 18"	9½
25032	3/4 x 18"	10
25033	13/16 x 18"	10½
25034	7/8 x 18"	11
25035	1" x 18"	11½
25036	1-1/8 x 18"	12
25037	1-1/4 x 18"	13
25038	1-3/8 x 18"	13½
25039	1-1/2 x 18"	13
25040	1-3/4 x 18"	13½
25041	2" x 18"	14
25042	2-1/2 x 18"	15

LARGE PIPE & CONDUIT BIT

15" OAL

Large double twist, extra long, one piece forged bit with **fine** screw for slow boring. 7/16" hex shank.

Recommended for installing copper, plastic pipe and thin wall conduit, and where slow boring and a long reach is required.

No.	Size	Doz. Wgt.
25043	3¼x15"x7/16 Hex	19¾

SHORT DOUBLE TWIST BIT

7" OAL

Short double twist, electricians, plumbers bit with extra strong 7/16" hex shank.

Recommended for plumbers, electricians, pipe fitters needing medium boring use with 1/2" chuck drills.

No.	Size	Doz. Wgt.
25045	5/8 x 7"	2
25046	11/16 x 7"	2½
25047	3/4 x 7"	3
25048	13/16 x 7"	3½
25049	7/8 x 7"	4
25050	1" x 7"	4½
25051	1-1/8 x 7"	5
25052	1-1/4 x 7"	6
25053	1-3/8 x 7"	5½
25054	1-1/2 x 7"	6
25055	1-3/4 x 7"	6½
25056	2" x 7"	7
25057	2-1/2 x 7"	8

SHORT PATTERN, LARGE PIPE & CONDUIT BIT

7½" OAL

Recommended for installing large copper, plastic pipe and conduit while working in restricted quarters.

No.	Size	Doz. Wgt.
25058	3¼x7½x7/16 Hex	10½

LONG SHIP HEAD BIT

18" OAL

18" long single twist bit with down spur and single cutter. 12" twist x 6" shank with 7/16" hex.

Recommended for use in 1/2" drills where heavy deep boring is needed when working on large timber, poles, heavy, construction, mines, docks, etc.

No.	Size	Doz. Wgt.
25060	5/8 x 18"	7¾
25061	11/16 x 18"	8¼
25062	3/4 x 18"	9
25063	13/16 x 18"	10
25064	7/8 x 18"	13
25065	1" x 18"	14
25066	1-1/8 x 18"	16
25067	1-1/4 x 18"	20½
25068	1-3/8 x 18"	24
25069	1-1/2 x 18"	32
25070	1-3/4 x 18"	40
25071	2" x 18"	46

SPECIAL POWER BITS, ACCESSORIES AND SETS

IMPACT WRENCH QUICK-CHANGE BITS

12'' OAL

Ship head single twist bit with 7/16'' hex drive.

Recommended for general construction, linemen, pole and power line work where impact-quick change wrenches are used.

No.	Size	Doz. Wgt.
	7/16'' Hex Drive	
25075	1/2	4½
25076	9/16	4¾
25077	11/16	6
25078	13/16	7¾
25079	1- 1/16	13

18'' OAL

IMPACT WRENCH QUICK-CHANGE BITS

Ship head single twist bit with 7/16'' hex drive.

Recommended for general construction, linemen, pole and power line work where impact-quick change wrenches are used.

No.	Size	Doz. Wgt.
	7/16'' Hex Drive	
25085	9/16	6¾
25086	11/16	8¾
25087	13/16	11½
25088	15/16	14½
25089	1- 1/16	19½

ELECTRICIAN'S BIT SET

¼'' hex shank



Set No. 25000
10 bits in leatherette roll

Contains 1 each popular double twist bits listed below:

No.	Size	No.	Size
25010	1/4''	25015	3/4''
25011	3/8''	25016	13/16''
25012	1/2''	25017	7/8''
25013	5/8''	25018	15/16''
25014	11/16''	25019	1''

IMPACT WRENCH QUICK-CHANGE BITS

12'' OAL

Same as above but with 5/8'' hex drive.

No.	Size	Doz. Wgt.
	5/8'' Hex Drive	
25080	1/2	6¼
25081	9/16	6¾
25082	11/16	8
25083	13/16	9½

18'' OAL

IMPACT WRENCH QUICK-CHANGE BITS

Same as above but with 5/8'' hex drive.

No.	Size	Doz. Wgt.
	5/8'' Hex Drive	
25090	9/16	8¾
25091	11/16	11¼
25092	13/16	13½
25093	15/16	16½
25094	1- 1/16	21

SPEED BIT - SPADE TYPE

¼'' hex shank

Spade type design with ground point and cutters ¼'' hex shank.

Recommended for general high speed boring using high speed electric drills and drill presses. Units will drill plastic, wood and plywood.

No.	Size	No.	Size
25100	1/4''	25106	13/16''
25101	3/8''	25107	7/8''
25102	1/2''	25108	1''
25103	5/8''	25109	1- 1/8''
25104	11/16''	25110	1- 1/4''
25105	3/4''		

POWER BIT EXTENSION

Forged single piece construction. Inside of holder is hex shaped for greater ''non-slip'' gripping.

Recommended for 1/2'' and larger bits.

No.	Size	Doz. Wgt.
	1/4'' Hex Drive	
25140	18 in.	7
25141	24 in.	9¼

POWER BIT EXTENSION

Forged single piece construction. Inside of holder is hex shaped for greater ''non-slip'' gripping.

Recommended for 3/4'' and larger bits.

No.	Size	Doz. Wgt.
	7/16'' Hex Drive	
25150	18 in.	12½
25151	24 in.	16½

POLE BITS

Single twist design with single cutter and spur, medium screw pitch.

Recommended for deep boring in poles and timbers without binding; used by linesmen and utility companies.

No.	Size			Doz. Wt.
	7/16'' Hex Shank			
25120	5/8	x	18''	7¾
25121	11/16		18''	8¼
25122	3/4	x	18''	9
25123	13/16	x	18''	10
25124	7/8	x	18''	13
25125	1	x	18''	14
25126	1- 1/8	x	18''	16
25127	1- 1/4	x	18''	20½
25128	1- 3/8	x	18''	24
25129	1- 1/2	x	18''	32
25130	1- 3/4	x	18''	40
25131	2	x	18''	46

HAND BRACE AUGER BITS AND ACCESSORIES

PLUMBERS - PIPEFITTERS SETS

BELL HANGER - FEELER BIT

Hole in flute for pulling wires. Point is designed for fast drilling in wood.

Recommended for installing telephone, electric, alarm and small wires.

No.	Size	Doz. Wgt.
26010	1/4 x 18"	2½
26011	5/16 x 18"	4
26012	3/8 x 18"	5½
26013	1/4 x 24"	4
26014	5/16 x 24"	6½
26015	3/8 x 24"	7

ELECTRICIAN'S BIT

9" OAL

A fast double twist, smooth boring bit designed for electricians and plumbers.

Recommended usage for electricians, plumbers, pipe fitters where fast-smooth boring is needed. Use when installing cable, conduit and romex.

No.	Size	Doz. Wgt.
26120	11/16 x 9"	3
26121	3/4 x 9"	3¼
26122	13/16 x 9"	3¼
26123	7/8 x 9"	4

EXPANSIVE BITS

Features a clamp and screw for locking cutter into place. Has open throat for fast chip removal. Features medium screw pitch fully polished.

Recommended for general boring.

No.	Size	Doz. Wgt.
26160	1/2 x 1-1/2"	4
26161	7/8 x 3"	8

EXPANSIVE BIT CUTTERS



No.	Size	Doz. Wgt.
26163	Cuts 1/2 - 7/8	1/8
26164	Cuts 7/8 - 1½	1/4
26165	Cuts 7/8 - 1¾	1/2
26166	Cuts 1¾ - 3	3/4

PLUMBERS BIT SHORT PATTERN

7" OAL

Short pattern double twist bit. Medium pitch screw for smooth boring.

Recommended usage for plumbers, pipe-fitters and general purpose use where medium Lead and smooth boring is required; excellent for use when working in confined areas.

No.	Size	No.	Size
26135	5/8	26142	1-1/8
26136	11/16	26143	1-1/4
26137	3/4	26144	1-3/8
26138	13/16	26145	1-1/2
26139	7/8	26146	1-3/4
26140	15/16	26147	2
26141	1	26148	2-1/2

HAND BRACE BIT EXTENSION

Takes square taper shanks; use 11/16" bits and larger.

No.	Size	Doz. Wgt.
26170	18" OAL	11

IRON PIPE SERVICE SET



Set No. 26000
For servicing iron pipes 3/8" - 1-1/2"

No.	Size	No.	Size
25048	13/16	25054	1½
25050	1	25055	1¾
25052	1-1/4	25056	2

IRON PIPE INSTALLATION SET

Set No. 26001
For installing larger diameter iron pipes ½" - 2" pipe size.

No.	Size	No.	Size
25050	1	25055	1¾
25052	1¼	25056	2
25054	1½	25057	2½

COPPER TUBE SERVICE SET



Set No. 26002
For servicing 3/8" - 1-1/2" tube

No.	Size	No.	Size
25045	5/8	25052	1¼
25047	3/4	25054	1½
25050	1	25055	1¾

COPPER TUBE INSTALLATION SET



Set No. 26003
For servicing 1/2" - 2" tube

No.	Size	No.	Size
25047	¾	25054	1½
25050	1	25055	1¾
25052	1¼	25057	2½

IRON PIPE	COPPER TUBE
13/16 for 3/8	5/8 for 3/8
1 for 1/2	3/4 for 1/2
1-1/4 for 3/4	1 for 3/4
1-1/2 for 1	1-1/4 for 1
1-3/4 for 1-1/4	1-1/2 for 1-1/4
2 for 1-1/2	1-3/4 for 1-1/2
2-1/2 for 2	2-1/2 for 2

MEPHISTO TOOL CO., BOX 16, HUDSON, N.Y. 12534

MASONRY DRILLS

Mephisto carbide tipped masonry drills easily penetrate concrete, cement, slate, brick, stone, marble and all types of masonry. They will produce clean, accurate holes; bits can be resharpened.

No.	Tool Size Diameter	Length	Doz. Wgt.
27101	1/8"	3"	3/8
27102	3/16"	3"	3/8
27103	1/4"	4"	3/4
27104	1/4"	12"	1-1/2
27105	1/4"	18"	3
27106	5/16"	4"	7/8
27107	5/16"	12"	2-1/4
27108	5/16"	18"	4
27109	3/8"	4"	1-1/8
27110	3/8"	12"	3-1/4
27111	3/8"	18"	4-3/4
27112	1/2"	6"	3-1/8
27113	1/2"	12"	6-3/4
27114	1/2"	18"	9-7/8
27115	5/8"	6"	5-1/4
27116	5/8"	12"	8
27117	5/8"	18	11-1/2
27118	3/4"	6"	6-1/2
27119	3/4"	12"	11-1/4
27120	3/4"	18"	16-1/2

HOLLOW CORE BITS

Mephisto hollow core bits use multi-carbide tipped bits that will cut masonry and reinforced concrete. Faster than other type bits, and will also cut thru reinforced rod. Cutting edges are grooved and backed by full body steel for strength — removable shank.

No.	Tool Size Diameter	Length	Doz. Wgt.
27225	7/8"	10"	12
27226	1"	10"	12
27227	1-1/8"	10"	18
27228	1-1/4"	10"	21
27229	1-1/2"	11"	24
27230	1-3/4"	11"	30
27231	2"	12"	42

HIGH SPEED DRILLS

Mephisto high speed jobbers drills are suitable for all industrial and general-purpose drilling. Black industrial finish.

No.	Fractional Size	Decimal Equivalent	Length Overall	Doz. Wgt.
20232	1/16	.0625	1-7/8"	.03
20332	3/32	.0937	2-1/4"	.06
20432	1/8	.1250	2-3/4"	.11
20532	5/32	.1562	3-1/8"	.17
20632	3/16	.1875	3-1/2"	.23
20732	7/32	.2187	3-3/4"	.33
20832	1/4	.2500	4"	.45
20932	9/32	.2812	4-1/4"	.64
21032	5/16	.3125	4-1/2"	.86
21132	11/32	.3437	4-3/4"	1.
21232	3/8	.3750	5"	1.3
21332	13/32	.4062	5-1/4"	1.5
21432	7/16	.4375	5-1/2"	1.8
21532	15/32	.4687	5-3/4"	2.1
21632	1/2	.5000	6"	2.4

STAR DRILLS

12" OAL

Mephisto star drills are made from fine alloy steel, heat treated and expertly ground.

Recommended use: for hand drilling all types of masonry, cement, concrete, stone, etc.

No.	Tool Size Diam.	Length	No.	Tool Size Diam.	Length
28003	1/4	x 12"	28008	7/8	x 12"
28004	3/8	x 12"	28009	1-	x 12"
28005	1/2	x 12"	28010	1-1/8	x 12"
28006	5/8	x 12"	28011	1-1/4	x 12"
28007	3/4	x 12"			

STUB SHEET METAL DRILL

135° Split Point

Industrial quality, black, 135° split point utility drills.

Recommended for instant start drilling. **No center punching** necessary. Excellent for use on curved surfaces and light gauge metal where punching will distort metal. Extremely strong drill.

No.	Fractional Size	No.	Fractional Size
22116	1/16"	22732	7/32"
22332	3/32"	22832	1/4"
22432	1/8"	22932	9/32"
22532	5/32"	22933	5/16"
22632	3/16"		

BALL PEIN HAMMERS



Epoxy Bonded heads

Drop forged from selected steel and heat treated to Federal specifications. Finished in black baked-on enamel, face and pein polished, clear lacquered top grade hickory handles. Heads **epoxy bonded** to handles to insure ultimate tightness.

No.	Weight Class	Doz. Wgt.
44830	8 oz. 3/0	9
44220	12 oz. 2/0	12
44160	16 oz. 0	18
44201	20 oz. 1	22
44242	24 oz. 2	25
44324	32 oz. 4	29

FIBERGLASS BALL PEIN HAMMERS

Epoxy bonded

Electro-tempered, mirror finish, drop forged head, pin epoxy bonded head to fibreglass handle. Meets all Federal specifications.

No.	Weight Class	Doz. Wgt.
44122	12 oz. 2/0	14
44161	16 oz. 0	19
44202	20 oz. 1	20
44244	24 oz. 2	30
44322	32 oz. 4	33

WRECKING BARS

No.	Length - Stock	Doz. Wgt.
45250	18 - 5/8	20
45251	24 - 3/4	42

FIBERGLASS CUSHION GRIP HANDLE

Pin epoxyed head

Electro-tempered, drop forged steel head, mirror finish, cushion grip fibreglass handle, pin epoxy locked assembly. Fully meets Federal specifications.

No.	Weight - Style	Doz. Wgt.
44162	16 oz. Claw	20
44163	16 oz. Rip	20
44203	20 oz. Rip	23

ELECTRICIAN'S HAMMER



#1 Hickory handle

Extra long neck with narrow striking face specifically designed for electricians. This hammer is ideal for confined areas such as outlet boxes. Rip style head is mirror polished, drop forged, heat-treated steel.

No.	Weight - Length	Doz. Wgt.
44184	18 oz. 13¾"	19

CLAW HAMMER

Safety grip handle

Electro-tempered, drop forged tool steel head. Octagon shape hickory handle. mirror finish polished head. **Epoxy bonded** head to handle for ultimate tightness. **Safety grip** handle. Meets all Federal specifications.

No.	Size	Doz. Wgt.
44166	16 oz. Claw	16

CURVED CLAW NAIL PULLER

Cushion Grip

No.	Length - Stock	Doz. Wgt.
45252	11-1/2 - 5/8	14

RIPPING HAMMERS

Safety Grip handle

Octagon shaped hickory handle. Mirror finish polished head. Drop forged electro-tempered tool steel head. **Safety grip** handle. **Epoxy bonded** head to handle. Meets all Federal specifications.

No.	Size	Doz. Wgt.
44326	16 oz. Rip	16
44200	20 oz. Rip	20

DRILLING - CAULKING HAMMER



An extra heavy hammer, drop forged from selected alloy steel. Short length designed for use in a confined area where extra weight is needed.

Recommended use: for electricians, plumbers, masons and pipefitters.

No.	Weight - Length	Doz. Wgt.
44342	2 Lb. - 9¾"	31
44343	3 Lb. - 10"	45
44344	4 Lb. - 10½"	54

REPLACEMENT HANDLES



Clear lacquered

No.	To Fit
44125	8 & 12 oz. ball pein
44126	16 & 20 oz. ball pein
44127	24 oz. ball pein
44128	32 oz. ball pein
44129	2, 3, 4 drilling
44130	20 oz. ripping
44131	16 oz. claw & rip

MEPHISTO TOOL CO., BOX 16, HUDSON, N.Y. 12534

LEVELS

SQUARES

ALUMINUM LINE LEVEL

Packed in plastic pouch

Mephisto line level for speed and convenience. The Mephisto line and surface level is made of aluminum, with cat-eye type pyrex vial.

No.	Length	Doz. Wgt.
46119	3'' OAL	5 oz.

ALUMINUM TORPEDO LEVEL

Light weight die-cast aluminum level. Side plate cemented in place eliminating screws and sharp edges. Handy V groove bottom. Has 3 vials – 45°, plumb and level. Has hang up hole near one end for display use or storage on pegboard.

No.	Length	Doz. Wgt.
46107	9'' OAL	3½

MAGNETIC TORPEDO LEVEL

Magnetic

Same as above, except level has two 3 lb. pull magnets.

No.	Length	Doz. Wgt.
46108	9'' OAL	3¾

18'' ALUMINUM LEVEL

2 Plumb – 2 Level Vials

Medium weight utility and carpenters level. Features closed ends with notch at both ends for pegboard hanging. Extra heavy windows protect and seal all vials.

No.	Length	Doz. Wgt.
46109	18'' OAL	15

24'' UNI-VIAL Extruded Frame

The **one vial** that does the job of two. A level built of precision extruded aluminum, featuring **molded vial holders** that are virtually indestructible. One level – 2 plumb vials.
Professional quality – low price.

No.	Length	Doz. Wgt.
46112	24'' OAL	12

48'' UNI-VIAL Extruded Frame



The **one vial** that does the job of two. A level built of precision extruded aluminum, featuring **molded vial holders** that are virtually indestructible. One level – 2 plumb vials.
Professional quality – low price.

No.	Length	Doz. Wgt.
46110	48'' OAL	24

48'' SIX VIAL Extruded Frame



4 Plumb – 2 Level Vials

An extruded aluminum level built of precision extruded aluminum, featuring **molded vial holders** that are virtually indestructible. Vials are fully adjustable for 90° – 180° for flexability.

No.	Length	Doz. Wgt.
46111	48'' OAL	24

COMBINATION SQUARE



Precision machined with **rust proofed plated blade.** Handle may be locked at any point along blade by brass adjusting screw with enclosed spring. Vial in handle permits plumbing and leveling. Hardened steel scribe is included. Graduated 8ths and 16ths on one side and 16ths and 32nds on other.
Packed one to a polybag for display.

No.	Length	Doz. Wgt.
46113	12'' x 1''	7.5

CARPENTER'S SQUARE



Features: Rafter – brace tables – essex tube, octagon and hundreth scale. Face graduated in 8ths and 16ths. Back is graduated in 10ths, 12ths, and 16ths. Complete instructions with each square. Unit is individually wrapped in vinyl sleeve.

No.	Dimensions	Doz. Wgt.
46114	Body 24x2'' Tongue 16x1½''	25.5

48'' GIANT ALUMINUM SQUARE

Treated aluminum

For drywall, plywood and sheet metal work. Blade is std. outlet box width. Large 1/16'' markings - can be read from either end. Holes in blade for marking studs at 16'' O.C. supplied collapsed. To assemble: Head is swung into position to align with 4 aligning holes. 4 spiral pins supplied. Only a hammer is needed to assemble in less than 1 minute. **90° accuracy guaranteed.**

No.	Dimensions	Doz. Wgt.
46115	Body 48''x2'' Tongue 22½x2''	36

RULES

HEAVY DUTY - 6' EXTENSION RULE



Packed on hang-up sleeve

The finest rule made. Has solid brass slide for inside measuring. Wood sections are 25% heavier than regular rules. Joints are oversized for unusually strong spring action. Solid brass strike plates and end caps. Natural boxwood color, clear tough plastic finish.

No.	Width	Length	Weight
46120	5/8 in.	6 ft.	5

6' FOLDING RULE



Outside reading



Inside reading

Standard thickness, selected straight grain hardwood sections. Corrosion resistant spring joints and end plates. Brilliant white finish with jet black markings, clear plastic top coat. Ends sealed against moisture.

Packaged on hang-up sleeve

No.	Style	Doz. Wgt.
46121	Standard { Brass Strike plates - Outside	3
46122	Standard { Strike plates - Inside	3
46123	Deluxe { S. Steel Strike plates - Outside	3
46124	Deluxe { Strike plates . Inside	3

ALUMINUM STRAIGHT EDGE RULE

All straight edges made from .125 gauge **flexible** aluminum, 2" wide, clear, large easy to read numbers can be read from either end. Calibrations in 16ths on both edges.

No.	Length	Width	Doz. Wgt.
46116	36 in.	2 in.	10.5
46117	48 in.	2 in.	13.5
46118	60 in.	2 in.	18.0

MEASURING TAPES

AUTOMATIC LOCK POWER TAPE



With belt clip

AUTOMATIC tape rule features: patented blade lock that automatically locks blade as it is extended. Automatic governor controls return speed. Light weight, very strong ABS case. Blade has 2 color printing on **yellow** background.

On self display hang-up card **16" center stud markings in red**

No.	Width	Length	Doz. Wgt.
78114	½ inches-metric	10 ft. yellow	2.14
78115	¾ inches only	12 ft. yellow	6.12
78116	¾ inches only	16 ft. yellow	6.14

PUSH-PULL POCKET TAPE



Blister packed

Inch and metric graduations

Light weight pocket tapes in attractive yellow ABS case. Glide action disc ensures smooth blade action. 2 color printing on yellow blade. Graduations in **inches** and **metric.** Numerals in black, feet and 16" center stud markings in red. Blister packed on eye-catching cards.

No.	Width	Length	Doz. Wgt.
78111	½ in.	6 ft. yellow	2.00
78112	½ in.	10 ft. yellow	2.10

CHALK LINE REEL



In self-service hang-up box

Refill

Durable aluminum alloy, self chalking reel with hold-tight anchor rings, plated self locking handle, lifetime nylon slide-fill opening. Unit doubles as plumb bob. In self-service hang-up box.

No.	Description	Length	Doz. Wgt.
78001	Chalk line reel	50 ft.	5
78002	Chalk line reel	100 ft.	5
78003	Blue Chalk Refill		6¾



ALL U.L. APPROVED

Full tempered, polished select alloy steel blades. Blades are fully anchored in #1 Tenite plastic handles, blade flats and edges are accurately ground and gauged.

No.	Blade Length	Stock Size	Tip Width	Doz. Wgt.
MIDGET POCKET SCREWDRIVERS				
10012	2¼	1/8''	1/8	½
CABINET ELECTRICIANS				
10013	4	3/16''	3/16	1½
10014	6	3/16''	3/16	1¾
10015	8	3/16''	3/16	2
10016	4	1/4''	1/4	1¾
10017	6	1/4''	1/4	2
10018	8	1/4''	1/4	2¼
10019	10	1/4''	1/4	2¼
PHILLIPS				
10020	3	3/16''	#1	1½
10021	4	1/4''	#2	1¾
10022	6	5/16''	#3	2¼
ROUND				
10023	4	5/16''	5/16	2½
10024	6	5/16''	5/16	4½
10025	8	5/16''	5/16	5½
10026	4	3/8''	3/8	3
10027	6	3/8''	3/8	5
10028	8	3/8''	3/8	6
SQUARE				
10029	1½	5/16''	5/16	2
10030	2	5/16''	5/16	3
10032	4	5/16''	5/16	4½
10034	6	5/16''	5/16	5½
10035	8	3/8''	3/8	7
10036	10	3/8''	3/8	8½
10037	12	3/8''	3/8	10
EXTRA LARGE HANDLE 1-3/8 x 5½				
10038	4	3/8''	3/8	7
10039	6	3/8''	3/8	8
10040	8	3/8''	3/8	9
10041	10	3/8''	3/8	10
10042	12	3/8''	3/8	11
SCRATCH AWL				
68502	3½	1/8''	–	1¼
68503	4½	1/4''	–	2½

HOLLOW SHAFT NUT DRIVERS

Hollow shaft, plated hex openings, anchored in U.L. Approved color-coded plastic handles.

No.	Opening	Color	Length	Doz. Wgt.
ND-6	3/16''	Black	6-1/4''	2.0
ND-8	1/4''	Red	7-1/4''	2.0
ND-10	5/16''	Amber	7-1/4''	2.28
ND-11	11/32''	Green	7-1/4''	2.28
ND-12	3/8''	Blue	7-1/4''	2.28
ND-14	7/16''	Brown	7-1/4''	2.28
ND-16	1/2''	Red	7-1/4''	2.64
ND-18	9/16''	Orange	7-1/4''	2.76
ND-20	5/8''	Amber	7-5/8''	3.24

In plastic hang-up case

No. 10007
7 piece set
Wgt. 1.5 Lb.

Contains 1 each, all hollow shaft of Nos. ND–6, ND–8, ND–10, ND–11, ND–12, ND–14 & ND–16.

SOIL PIPE WRENCH



A 5/16'' hex socket wrench for tightening fastener on ''no-hub'' soil pipe.

No.	Opening	Color	Length	Doz. Wgt.
10010	5-16''	Black	5''	1-2/3

COMBINATION REVERSIBLE SCREWDRIVER KITS

In plastic hang-up case

SET NO. 10008 in zipper case containing 2 blades. 1–#1 Phillips and 3/16'' slotted; and 1–#2 Phillips and 1/4'' slotted blades.

SET NO. 10009 in zipper case containing 3 blades. 1–#1 Phillips and 3/16'' slotted; 1–#2 Phillips and 1/4'' slotted; 1–#3 Phillips and 5/16'' slotted blades.

SLIP JOINT PLIERS

Full polish Chrome

No.	Length	Doz. Wgt.
78138	6½''	5¼
78139	8''	7½

ECONOMY SLIP JOINT PLIERS

Cushion Grips

No.	Length	Doz. Wgt.
78135 thin nose	6''	4
78136	6½''	5¼
78137	8''	8¼

GROOVE JOINT PLIERS

Full Polish Chrome

Machined grooves

No.	Length	Doz. Wgt.
78131	10''	10½

ECONOMY GROOVE JOINT PLIERS

Cushion Grip

Machined grooves

No.	Length	Doz. Wgt.
78130	10''	13
78133	12''	19

DIAGONAL PLIERS

Cushion Grip

No.	Length	Doz. Wgt.
78123	4½''	2¼
78124	6''	4¾
78125	7''	6¼

HIGH LEVERAGE DIAGONAL

Cushion Grip

No.	Length	Doz. Wgt.
78126	7''	7

WATER PUMP TYPE PLIERS

Cushion Grip

No.	Length	Doz. Wgt.
78132	5''	1½
78134	12''	15

EXTRA HEAVY DUTY GROOVE JOINT PLIERS



Cushion Grip

No.	Length	Doz. Wgt.
78142	14''	30

NEEDLE NOSE SIDE CUTTING PLIERS

Cushion Grip

No.	Length	Doz. Wgt.
78127	6''	3¾
78128	7''	4¼

LINESMAN'S PLIERS

N.E. Style

No.	Length	Doz. Wgt.
78143	9''	16

ELECTRICIAN'S PLIERS

Cushion Grip

No.	Length	Doz. Wgt.
78129	7''	6

HEAVY DUTY SLIP-JOINT



No.	Length	Doz. Wgt.
78144	8''	8¼
78145	10''	14

BX ARMOR CUTTER



No.	Length	Doz. Wgt.
78146	7''	7

LOCKING PLIERS

78140

78141

No.	Length	Doz. Wgt.
78140	7½''	8
78141	10''	12

PLIER GRIPS



No.	Length	Doz. Wgt.
78147	4¼''	½
78148	5¼''	1
78149	6''	1

METAL NIBBLER

Chrome Plated

One of the most useful tools you can own. Has narrow jaws for working in very close quarters; compound leverage action; removes a 1/8'' strip of metal while cutting; does not distort work piece. Will cut sheet metal, rounds flats, around corners, thin wall tubing. Made in France.

No.	Length	Doz. Wgt.
78150	10''	12

TOOL BOXES

CARPENTER'S CHEST

Black texture finish, has wood block for holding 3 saws, pressed wood bottom lining; level storage area, full-grip machine riveted handles, hasp can be padlocked, and has 2 rafter square storage areas.

No.	Dimensions	Wgt.
53289	32'' x 8¼' x 9¼''	13½ ea.



MECHANIC'S TOOL BOX

Olive color enamel, has tote tray with 2 tray compartments, full length piano hinge, machine riveted handle, nickle-plated hardware. HD. draw bolt can be padlocked. Heavy duty construction. Packed 4 to a master shipper.

No.	Dimensions	Shipper Wgt.
52299	22'' x 9'' x 9''	41 lbs.

STEEL UTILITY BOX

Enameled avocado. An inexpensive metal box, plated hardware. Automatic plastic tray with 3 compartments. Packed 12 to a master carton.

No.	Dimensions	Shipper Wgt.
51364	13½'' x 6½'' x 4¼''	24

UTILITY KNIVES

Fixed Blade



Retractable

Knives Carded

No.	Style	No.	Replacement Blades
40138	Fixed Blade	40140	Universal
40139	Retractable Blade	40141	Fixed Blade Knives only

METAL CUTTING SNIPS



Straight

STRAIGHT — Drop forged, heat treated tool steel. Hollow ground and polished to assure easy cutting. Handles are designed for **right** or **left** cutting.

Recommended for cutting sheet metal, wire, cloth, screen, leather, roofing material, gaskets and rubber.

No.	Length	Cut	Doz. Wgt.
10044	7 in.	1¾ in.	5¼
10045	10 in.	2½ in.	10¾
10046	12 in.	3 in.	18¼



Duck Bill

CIRCULAR PATTERN AND DUCK BILL for cutting circular and, as above.

No.	Length	Cut	Doz. Wgt.
10047	7 in.	1¾ in.	5¼
10048	10 in.	2½ in.	10¼
10049	12 in.	3 in.	18¼

AVIATION SNIPS

Right

Straight

Left

10'' OAL

Drop forged, heat treated tool steel blades. Compound action for ease in cutting. Each blade serrated for gripping metal.

Recommended for cutting 13 gauge or heavier cold rolled sheet metal.

No.	Description	Doz. Wgt.
10051	Straight Cut — With Grips	10¾
10052	Right Cut — With Grips	10¾
10050	Left Cut — With Grips	10¾
10054	Straight Cut — Without Grips	10½
10055	Right Cut — Without Grips	10½
10053	Left Cut — Without Grips	10½

EXTRA GRIPS

Pairs only

No.	Description	Doz. Wgt.
10057	Red — Left Cut	¼ lb.
10058	Yellow — Straight Cut	¼ lb.
10059	Green — Right Cut	¼ lb.

Mephisto

INDUSTRIAL
QUALITY TOOLS

SINCE 1830

COLD CHISELS

No.	Cut	Stock	Lgth.	Doz. Wgt.
11100	1/4	1/4	4½	¾
11101	5/16	5/16	5	1
11102	3/8	3/8	5½	2¼
11103	7/16	3/8	6	3¼
11104	1/2	1/2	6½	4½
11105	5/8	1/2	7	7½
11106	3/4	5/8	7½	11
11107	3/4	5/8	9	14
11108	7/8	3/4	8	15½
11109	1	7/8	8½	20

EXTRA LONG COLD CHISELS

11110	3/8	3/8	10	4
11111	1/2	1/2	12	8
11112	5/8	1/2	12	12½
11113	3/4	5/8	12	18
11114	3/4	5/8	18	28
11115	1	7/8	12	33
11116	1	7/8	18	48
11117	1	7/8	24	66

ALL STEEL WOOD CHISELS

11118	1/4	5/16	7⅞	1¼
11119	3/8	5/16	8¼	1½
11120	1/2	3/8	8⅝	2¾
11121	5/8	1/2	9	3½
11122	3/4	1/2	9	5½
11123	1	5/8	10	9
11124	1-1/4	5/8	10½	10
11125	1-1/2	3/4	10⅞	13
11126	2	7/8	11¾	17

"HEAVY" WOOD CHISEL

11127	1-1/4	5/8	12	12½
11128	1-1/2	3/4	12	17

PLUMBERS WOOD CHISEL

11129	1/2	3/8	9	3
11130	3/4	1/2	9½	7
11131	1	5/8	10½	11
11132	1-1/4	5/8	11	12

CAPE CHISELS

11133	1/8	1/4	4½	¾
11134	3/16	1/4	4½	¾
11135	1/4	3/8	5½	2
11136	5/16	1/2	6	6
11137	3/8	5/8	7	6¼
11138	1/2	3/4	7½	10

DIAMOND POINT CHISEL

11139	1/8	1/4	4½	¾
11140	1/4	3/8	5½	2
11141	5/16	1/2	6½	4¼
11142	3/8	5/8	7	6

ROUND NOSE CARE CHISEL

11143	1/8	1/4	4½	¾
11144	1/4	3/8	5½	2
11145	5/16	1/2	6	4
11146	3/8	5/8	7	6

FLOOR CHISEL

11147	2	5/8	8	6
11148	2-1/2	3/4	12	18
11149	2-1/2	3/4	18	27
11150	3	3/4	12	19
11151	3	3/4	18	28

BULL NOSE CHISEL

11152		3/4	9	14
11153		3/4	12	19
11154		3/4	18	28
11155		3/4	24	39
11156		1	9	22
11157		1	12	33
11158		1	18	48
11159		1	24	66

SOIL PIPE CHISEL

11160	1/2	1/2	6½	5
11161	5/8	1/2	7	8
11162	3/4	5/8	7½	11
11163	7/8	3/4	8	16

FLAT BRICK CHISEL

11164	1-1/8	3/8 x 7/8	12	12¾
11165	1-1/8		15	16
11166	1-1/8		18	19
11167	1-1/8		24	25

HEX STK. BRICK CHISEL

11168	1	5/8	12	13
11169	1	5/8	15	17
11170	1	5/8	18	20
11171	1	5/8	24	28

WIDE BRICK CHISEL

11172	2-1/2	3/4	7½	8
11173	3	3/4	7½	10

ELECTRICIANS - UTILITY CHISEL

11174	2	5/8	12	13

PIN PUNCHES

No.	Point	Stock	Lgth.	Doz. Wgt.
11200	3/32	5/16	5	1½
11201	1/8	5/16	5	1½
11202	5/32	5/16	6	1¾
11203	3/16	3/8	6	2
11204	7/32	3/8	6	2½
11205	3/16	1/2	6½	3¼
11206	7/32	1/2	6½	3¼
11207	1/4	1/2	6½	3½

LONG TAPER PUNCH

11208	3/32	5/16	10	2⅔
11209	1/8	3/8	10	3
11210	1/4	1/2	12	8
11211	5/32	3/4	14	17¾
11212	1/4	5/8	16	13

CENTER PUNCHES

11215		1/4	4	¾
11216		5/16	4¼	1
11217		3/8	5	1¾
11218		1/2	5¾	3½

PRICK PUNCHES

No.	Point	Stock	Lgth.	Doz. Wgt.
11219		1/4	4	1
11220		5/16	4¼	1½
11221		3/8	5	1¾
11222		1/2	5¾	3

SOLID PUNCHES

11223	3/32	5/16	5	1¾
11124	1/8	5/16	5	1¾
11225	5/32	3/8	6	2
11226	3/16	3/8	6	2
11227	7/32	1/2	6	3½
11228	1/4	1/2	6	3¾

SET NO. 11235
WGT. 4 LB. EA.



7 All Steel Wood Chisels
3/8" – 1½"
in Leatherette Roll.



SET NO. 11236
WGT. 4 LB. EA.

8 Cold Chisels
1/4" – 7/8"
in Leatherette Roll.

PROFESSIONALS TOOLS

CHROME PLATED ADJUSTABLE

The strongest adjustable wrench available. U.S. made, designed for square and hex fasteners. Thin head with tapered jaws.

No.	Inch Size	Doz. Wgt.
47004	4 inch	1¾
47006	6 inch	3¾
47008	8 inch	5¾
47010	10 inch	12
47012	12 inch	18½
47015	15 inch	35½
47018	18 inch	51

BLACK FINISH ADJUSTABLE

No.	Inch Size	Doz. Wgt.
48004	4 inch	1¾
48006	6 inch	3¾
48008	8 inch	5¾
48010	10 inch	12
48012	12 inch	18½
48015	15 inch	35½
48018	18 inch	51

FAUCET SEAT KEYS

Combination Style

"T" Style

No.	Length - Stock	Doz. Wgt.
48100	4 ½	2¼
48101	8¼ ½	4½

SPUD WRENCH

No.	Length	Doz. Wgt.
48102	10 inches	9

LINEMAN'S KNIFE

Special utility blade for removing insulation from wire and heavy duty cutting. Woodgrain handle. Heavy steel linings and bolsters.

No.	Closed Size	Doz. Wgt.
40136	4 - 7/16"	3

MASTER ELECTRICIAN'S KNIFE

Heavy duty spear blade—combination screwdriver, insulation scraper, safety locks in open position. Monomas handles.

No.	Closed Size	Doz. Wgt.
40137	3 - ¾"	3¼

STEEL PLUMB BOB



Hexagon steel-nickel plated for durability. Center cavity cap insures positive alignment.

No.	Length - Wgt.	Doz. Wgt.
55200	3½" 5 oz.	3¾
55201	4" 8 oz.	6

FLARING TOOLS



No.	Tube Size I.D.	Doz. Wgt.
49001	1/4"	2
49002	3/8"	2½
49003	1/2"	4
49004	3/4"	6
49005	1"	9
49006	1-1/4"	13
49007	1-1/2"	18¼
49008	2"	30½

TUBING TOOLS

No. 49010
Tube Cutter

No. 49011
Flaring Tool

No.	Sizes	Doz. Wgt.
49010	Cuts 1/8-1-1/8	7
49011	7 Hls. 3/16-5/8	20

Combination Swedging Tool

No.	Tube Size I.D.	Doz. Wgt.
49012	3/8, 1/2 & 3/4	14

Tubing Benders

No.	Tube Size I.D.	Doz. Wgt.
49013	1/4 inch	2½
49014	3/8 inch	3
49015	1/2 inch	4

COPPER CLEANING BRUSHES

Fitting Brush

No.	Tube Size I.D.	No.	Tube Size I.D.
59020	1/8	59025	¾
59021	1/4	59026	1
59022	3/8	59027	1¼
59023	1/2	59028	1½
59024	5/8	59029	2

Tubing Brush

No.	Tube Size I.D.	Doz. Wgt.
59030	1/4 inch	1
59031	3/8 inch	1
59032	1/2 inch	1¼
59033	5/8 inch	1½
59034	3/4 inch	1½
59035	7/8 inch	2
59036	1 inch	2

Wood Handle

Blade

Aluminum Handle

COMPASS SAW HANDLES

No.	Style	Doz. Wgt.
62000	Wood	4
62001	Aluminum	7

COMPASS SAW BLADES

No.	Length – Teeth per inch		Doz. Wgt.
62003	10 in.	8	1¾
62004	12 in.	8	2¼
62005	14 in.	8	2¾
62006	10 in.	13	1¾
62007	12 in.	13	2¼
62008	14 in.	13	2¾

Baby Hack Saw

No.	Size	Doz. Wgt.
62010	9½" (with 2 extra blades)	2¾

EXTRA BLADES

62011	6" – 32 teeth per inch	1/gross

Set No. 50002
Long Series

HEX WRENCH SETS

Set No. 50001
Short Series

SET NO. 50001 11 pieces .050 thru 3/8" (Natural Finish)
SET NO. 50002 9 pieces 5/64" thru 3/8" (Natural Finish)

HEX KEY WRENCHES OPEN STOCK

No.	Size	Style	Doz. Wgt.
50010	.050	Short	1 oz.
50011	1/16	Short	1 oz.
50012	5/64	Short	1-1/2 oz.
50013	3/32	Short	2 oz.
50014	1/8	Short	3 oz.
50015	5/32	Short	4-1/2 oz.
50016	3/16	Short	7 oz.
50017	7/32	Short	10 oz.
50018	1/4	Short	14-1/2 oz.
50019	5/16	Short	1-1/2 lbs.
50020	3/8	Short	2-1/2 lbs.
50112	5/64	Long	2 oz.
50113	3/32	Long	3 oz.
50114	1/8	Long	5 oz.
50115	5/32	Long	12 oz.
50116	3/16	Long	1 lb.
50117	7/32	Long	1 lb.
50118	1/4	Long	1-7/8 lbs.
50119	5/16	Long	2-7/8 lbs.
50120	3/8	Long	3-3/8 lbs.



HEAVY DUTY HAND SAW

No.	Length – Points per inch		Doz. Wgt.
62015	20	8	13

HACKSAW FRAMES

Standard

Heavy Duty

No.	Style	Doz. Wgt.
62101	Heavy Duty	19
62102	Standard	11

HACKSAW BLADES

High Speed Flex Blades

Packed 10 to a plastic tube

Color red. An extremely rugged blade that stays sharp. All blade teeth are hardened for lasting sharpness.

No.	Blade Size	Teeth to inch	100 Wgt.
62118	10 x ½ x .025	18	3½
62124	10 x ½ x .025	24	3½
62132	10 x ½ x .025	32	3½
62218	10 x ½ x .025	18	4½
62224	12 x ½ x .025	24	4½
62232	12 x ½ x .025	32	4½

STANDARD DUTY FLEXIBLE BLADES

Packed 10 to a plastic tube

Standard Duty blades – color coded gray

No.	Blade Size	Teeth to inch	100 Wgt.
63118	10 x ½ x .025	18	3¼
63124	10 x ½ x .025	24	3¼
63132	10 x ½ x .025	32	3¼
63218	12 x ½ x .025	18	4
63224	12 x ½ x .025	24	4
63232	12 x ½ x .025	32	4

SABRE SAW BLADES ¼" SHANK

	No.	Teeth per inch	Length	Recommended usage
METAL CUTTING Red H.S. Steel	64051	14	3-1/8	1/8" – 1/4" steel; 1/8" to 1/2" non-ferrous (aluminum, etc. also plastic and fibreglass)
	64052	18	3-1/8	1/16" – 1/8" steel, also conduit, plastic, tubing, etc.
	64054	32	3-1/8	Thinnest sheet, tubing, formica
WOOD CUTTING – GENERAL USE Silver H.S. Steel	64020	7	3-1/2	For roughing in and scroll cuts in heavier sections of wood
	64021	10	3-1/2	For roughing in and scroll cuts in thinner wood, plywood, hardboard, etc.
	64024	7	3-1/2	**Hollow Ground** for smooth cuts in wood, plywood and hardboard
WOOD CUTTING – HOLLOW GROUND Ground Finish H.S. Steel	64032	2 Way	3"	For **extra** smooth cuts where a smooth finish is of utmost importance, especially in formica and pre-finished plywood.

RECIPROCATING SAW BLADES ½" SHANK

METAL CUTTING – H.S. STEEL Red	65418	18	4	For heavy gauge sheet, conduit, pipe, tubing, thin fibreglass, etc.
	65432	32	4	For very light gauge metal, sheet and trim
	65614	14	6	For metal heavier than 1/8" bar stock, angles, etc; also rubber, masonite and fibreglass
	65618	18	6	For heavy gauge sheet, conduit, pipe, tubing, thin fibreglass
	65624	24	6	For metals lighter than 18 gauge, thin wall tubing, formed sheet, trim, etc.
H.D. METAL SCROLL Yellow	64314	14	3-5/8	For scroll cutting heavy gauge metal, fiberglass, masonite, etc.
	64324	24	3-5/8	For scroll cutting thin metal and plastics
Silver	63350	7	3-5/8	WOOD CUTTING – CONTOURS For rough cutting contours in wood, fiberglass, etc.
Silver	63607	7	6	WOOD CUTTING – HEAVY DUTY General roughing in work in **wood.** **Cuts through nails**
Black	63610	10	6	WOOD CUTTING - GENERAL PURPOSE An economy blade with hard teeth for nail-embedded woods, compositions
Purple	63603	3	6	WOOD CUTTING – EZ CUT For fast cuts in nail-free wood up to 4" in thickness
White	63608	8	6	PLASTER CUTTING For smooth cuts in plaster, plasterboard, and metal lathe plaster

PLUMBING TOOLS

CEILING IRON

No.	Stock Size	Blade Thickness	Blade Width	Overall Length	Doz. Wgt.
30001	5/8	1/8	11/16	14	18

DOUBLE IRON

30002	5/8	3/16	1-1/8	9	8

ON-OFF IRONS

30003 On	5/8	1/8	11/16	6	7
30004 Off	5/8	1/8	11/16	6	7

RIGHT AND LEFT IRONS

30005 (L)	5/8	3/16	3/4	10	9
30006 (R)	5/8	3/16	3/4	10	9

LONG AND SHORT NOSE IRONS

30007 (L)	5/8	1/8	11/16	8	8
30008 (S)	5/8	1/8	11/16	6½	7

STUB IRONS
(Inside and Outside)

30009 (I)	5/8	1/8	11/16	4½	5
30010 (O)	5/8	1/8	11/16	4½	5

MIDGET CURVED NOSE
(Inside and Outside)

30011 (I)	1/2	1/8	3/4	3	1¾
30012 (O)	1/2	1/8	3/4	3	1¾

BROAD CURVED NOSE IRONS

No.	Stock Size	Blade Thickness	Blade Width	Overall Length	Doz. Wgt.
30013	5/8	1/8	1-7/16	8½	9
30014	3/4	1/8	1½	9½	14¼
30015	7/8	1/4	1½	11	20½



STRAIGHT IRONS
(Inside and Outside)

30016 (O)	5/8	1/8	11/16	7	8
30017 (I)	5/8	1/8	11/16	7	8

OFFSET IRONS
(Inside and Outside)

30018 (I)	5/8	1/8	11/16	6½	7
30019 (O)	5/8	1/8	11/16	6½	7

CURVED OFFSET IRONS
(Inside and Outside)

30020 (I)	5/8	1/8	11/16	7	7
30021 (O)	5/8	1/8	11/16	7	7
30022 (I)	5/8	1/8	15/16	8	7¼
30023 (O)	5/8	1/8	15/16	8	7¼

LONG CURVED NOSE IRON

30024	5/8	1/8	15/16	8	8



SHORT NOSE PACKER

30025	5/8	1/8	5/8	7	7

OFFSET YARNING IRONS

No.	Stock Size	Blade Thickness	Blade Width	Overall Length	Doz. Wgt.
30026	5/8	1/8	3/4	9	7½
30027	5/8	1/8	3/4	10	8
30028	7/8	5/32	7/8	11	18½
30029	7/8	1/8	3/4	13½	22¼
30030	5/8	1/8	3/4	14	9
30031	3/4	1/8	3/4	15	15
30032	5/8	1/8	3/4	16	10

SPRING YARNING IRONS

30033	5/8	1/8	3/4	10	8
30034	5/8	1/8	3/4	14	9
30035	5/8	1/8	3/4	16	10
30036	5/8	1/8	3/4	18	11

WATER MAIN IRONS

30037	7/8	1/8	7/8	8½	18
30038	7/8	3/16	7/8	8½	18
30039 (I)	3/4	3/16	7/8	9	14
30040 (O)	3/4	3/16	7/8	9	14
30041	7/8	1/4	7/8	8½	18
30042 (I)	3/4	1/4	7/8	9	14
30043 (O)	3/4	1/4	7/8	9	14
30044	7/8	5/16	7/8	8½	18
30045	7/8	3/8	7/8	8½	18
30046	7/8	1/2	7/8	8½	18
30047	7/8	5/8	7/8	8½	18



LEAD PICKING TOOL

30048 (L)	3/4	5/16	—	8½	11
30049 (R)	3/4	5/16	• –	8½	11

TRIMMING IRONS

30050	5/8	3/16	1	7	6½
30051	5/8	3/32	¾	10½	9½

CONVERSION CHART – SAW BLADES

SABRE SAW BLADES

Mephisto	B & D Ind.	B & D Utility	Skil Ind.	Milwaukee	Stanley	Craftsman
64051	49490	U-1354	24085	48–42–9100	83506	2874
64052			24086	48–42–0120		
64054	49491	U-1355	24087		83507	28701
64020	54386	U-1350	22644	48–42–0200	83504	28711
64021	54369	U-1351	22649	48–42–0220	83505	28712
64024	49493	U-1363			83508	
64032						

RECIPROCATING SAW BLADES

Mephisto	B & D	Westland Fits-All	Skil	Milwaukee Saws-All	Stanley	Rockwell Tiger
65614	40113	HDM-314	20359	48–00–1179	86215	49770
65618	40116	HDM-318	20360	48–00–2170	86216	49772
65624	40125	HDM-324		48–00–2171	86226	48774
65418	40115	HDM-218	20546	48–00–1174	86214	49769
65432	40118	HDM-232		48–00–1178	86223	49773
64314	40126	HDMC-214	20549	48–00–1162		49778
64324	40120		20545			49776
63350	40121	WC-208		48–00–1141		49765
63603	40107	ZC-403	25921	48–00–1002		
63607	40098	WC-608	20572	48–00–1031	86201	49763
63608	40128	P-405	23606	48–00–1052		49786
63610	40103	W-410		48–00–1064		

HACKSAW BLADE RECOMMENDATIONS

MATERIAL	TEETH PER INCH			MATERIAL	TEETH PER INCH		
	Material ¼" thick	Material ½" thick	Material 1" or more		Material ¼" thick	Material ½" thick	Material 1" or more
Aluminum	18-24	14-18	14	Angle Iron	32	24	18
Babbitt	18	14-18	14	Bolts	24	24	18
Brass	24	18	14-18	BX Cable	32	32	24
Bronze	24	18	14-18	Cable	32	32	24
Copper	18-24	18	14-18	Channels	32	24	18
Cast Iron	24	18	18	Conduit	24	24	24
Plastics	18-24	18	14	Drill Rod	24	24	18
Hard Rubber	24	18	18	Pipe and Tubing	32	24	18
High-Speed Steel	24	18	18	Shafting	18	18	18
Sheet Steel	24	18	18	Wire Rope	32	32	24
Tool Steel	24	18	18	Bone	32	24	18



MEPHISTO TOOL CO., INC. • HUDSON, N. Y. 12534

MEPHISTO

TOOL CO., INC.

EFFECTIVE SEPT. 10, 1973
ALL PRICES INCREASED 10%

LIST PRICES

L-1

EFFECTIVE APRIL 17, 1973

D.L.C. & ASSOCIATES
7611 MAIN STREET
RALSTON, NEBRASKA 68127

KEY TO MEPHISTO'S NUMBERING AND PREFIXING SYSTEM

Number or Prefix	Number or Prefix	Number or Prefix
ND – – – Nut Drivers	30 – – – – Irons	52 – – – – Tool Box - Mechanics
10 – – – – Screwdrivers & Snips	40 – – – – Knives	53 – – – – Tool Box – Carpenters
11 – – – – Chisels & Punches	44 – – – – Hammers	55 – – – – Plumb Bobs
20 – – – – H.S.Steel Drill Bits 1/16"–9/32"	45 – – – – Wrecking Bars	59 – – – – Brushes
21 – – – – H.S.Steel Drill Bits 5/16"–1/2"	46 – – – – Levels, Rules, Squares	62 – – – – Saws – Frames & Blades
22 – – – – 135° Split-Point Drill Bits	47 – – – – Adj. Wrenches (chrome)	63 – – – – Saw Blades
25 – – – – Power Auger Bits	48 – – – – Adj. Wrenches (black)	64 – – – – Saw Blades – Sabre
26 – – – – Hand Auger Bits	49 – – – – Flaring Tools, Tube Benders	65 – – – – Saw Blades – Reciprocating
27 – – – – Masonry Drills	50 – – – – Hex Key Wrs. & Sets	68 – – – – Awls
28 – – – – Star Drills	51 – – – – Tool Box – Utility	78 – – – – Pliers, Tapes & Chalk Reels

Catalog No.	List Price	Description	Cat. Page	Pkg. Qty.	Catalog No.	List Price	Description	Cat. Page	Pkg. Qty.
ND–6	1.44	3/16" Nut Drivers	9	6	10029	1.34	5/16x1 1/2" Stubby Screwdriver	9	6
ND–8	1.44	1/4"	9	6	10030	1.80	5/16x2" Square Screwdrivers	9	6
ND–10	1.44	5/16"	9	6	10032	1.82	5/16x4"	9	6
ND–11	1.44	11/32"	9	6	10034	2.06	5/16x6"	9	6
ND–12	1.44	3/8"	9	6	10035	2.60	3/8x8"	9	6
ND–14	1.72	7/16"	9	6	10036	2.78	3/8x10"	9	6
ND–16	1.72	1/2"	9	6	10037	3.02	3/8x12"	9	6
ND–18	1.82	9/16"	9	6	10038	2.38	3/8x4" Square Large Handle S-Drivers	9	6
ND–20	2.06	5/8"	9	6	10039	2.50	3/8x6" "	9	6
10007	11.40	3/16–1/2" Nut Driver Set	9	1	10040	3.04	3/8x8" "	9	6
10008	4.70	Combination Screwdriver Set – 3 pcs.	9	1	10041	3.22	3/8x10" "	9	6
10009	6.36	Combination Screwdriver Set – 4 pcs.	9	1	10042	3.46	3/8x12"	9	6
10010	2.46	5/16" No-Hub Soil Pipe Wrench	9	6	10044	3.60	7" Tin Snips–Straight Pattern	11	6
10012	.30	Pocket Screwdriver	9	6	10045	4.60	10"	11	6
10013	1.08	3/16x4" Electricians–Cabinet S–Driver	9	6	10046	5.92	12"	11	6
10014	1.22	3/16x6"	9	6	10047	3.80	7" Tin Snips–Circular Pattern	11	6
10015	1.30	3/16x8"	9	6	10048	4.88	10"	11	6
10016	1.12	1/4x4"	9	6	10049	6.40	12"	11	6
10017	1.30	1/4x6"	9	6	10050	6.36	10" Aviation Snips W/Grips–Left	11	6
10018	1.34	1/4x8"	9	6	10051	6.36	10" Straight	11	6
10019	1.40	1/4x10"	9	6	10052	6.36	10" Right	11	6
10020	1.34	#1 Phillips Screwdrivers	9	6	10053	5.76	10" Aviation Snips – No Grips – Left	11	6
10021	1.48	#2	9	6	10054	5.76	10" Straight	11	6
10022	2.00	#3	9	6	10055	5.76	10" Right	11	6
10023	1.58	5/16x4" Round Screwdrivers	9	6	10057	.60	Snip Grips – Red	11	6 pr.
10024	1.68	5/16x6"	9	6	10058	.60	Snip Grips – Yellow	11	6 pr.
10025	1.76	5/16x8"	9	6	10059	.60	Snip Grips – Green	11	6 pr.
10026	1.68	3/8x4"	9	6	11100	1.02	1/4" Cold Chisels	12	6
10027	1.76	3/8x6"	9	6	11101	1.02	5/16"	12	6
10028	1.86	3/8x8"	9	6	11102	1.14	3/8"	12	6

Catalog No.	List Price	Description	Cat. Page	Pkg. Qty.
11103	1.16	7/16" Cold Chisels	12	6
11104	1.30	1/2" "	12	6
11105	1.34	5/8" "	12	6
11106	1.64	3/4"x7 1/2" "	12	6
11107	2.00	3/4"x9" "	12	6
11108	2.08	7/8" "	12	6
11109	2.74	1" "	12	3
11110	1.30	3/8x10" Extra Long Cold Chisels	12	6
11111	1.64	1/2x12"	12	6
11112	1.82	5/8x12"	12	6
11113	2.32	3/4x12"	12	6
11114	2.82	3/4x18"	12	6
11115	3.40	1"x12"	12	3
11116	4.16	1"x18"	12	3
11117	5.54	1"x24"	12	3
11118	2.46	1/4" All Steel Wood Chisels	12	6
11119	2.60	3/8"	12	6
11120	2.70	1/2"	12	6
11121	2.78	5/8"	12	6
11122	2.94	3/4"	12	6
11123	3.24	1"	12	6
11124	3.62	1 1/4"	12	6
11125	3.94	1 1/2"	12	6
11126	4.62	2"	12	6
11127	2.32	1 1/4" Heavy Wood Chisels	12	6
11128	2.78	1 1/2"	12	6
11129	1.90	1/2" Plumbers Chisels	12	6
11130	1.98	3/4"	12	6
11131	2.34	1"	12	6
11132	2.60	1 1/4"	12	6
11133	1.34	1/8" Cape Chisels	12	6
11134	1.40	3/16"	12	6
11135	1.58	1/4"	12	6
11136	1.62	5/16"	12	6
11137	1.80	3/8"	12	6
11138	2.24	1/2"	12	6
11139	1.36	1/8" Diamond Point Chisels	12	6
11140	1.40	1/4"	12	6
11141	1.48	5/16"	12	6
11142	1.86	3/8"	12	6
11143	1.32	1/8" Round Nose Chisels	12	6
11144	1.58	1/4"	12	6
11145	1.62	5/16"	12	6
11146	1.80	3/8"	12	6
11147	2.40	2"x8" Floor Chisels	12	6
11148	4.08	2 1/2"x12"	12	3
11149	4.44	2 1/2"x18"	12	3
11150	4.86	3"x12"	12	3
11151	5.18	3"x18"	12	3
11152	2.40	3/4x9" Bull Nose Chisels	12	6
11153	2.52	3/4x12"	12	6
11154	3.28	3/4x18"	12	6
11155	3.78	3/4x24"	12	6
11156	2.98	1"x9"	12	3
11157	3.62	1"x12" Bull Nose Chisels	12	3
11158	4.44	1"x18"	12	3
11159	5.60	1"x24"	12	3
11160	1.60	1/2" Soil Pipe Chisels	12	6
11161	1.80	5/8"	12	6
11162	2.10	3/4"	12	6
11163	2.48	7/8"	12	6
11164	2.00	12" Flat Brick Chisels	12	6
11165	2.36	15"	12	6
11166	2.82	18"	12	6
11167	3.62	24"	12	6
11168	2.28	12" Hex-Stock Brick Chisels	12	6
11169	2.50	15"	12	6
11170	2.86	18"	12	6
11171	3.70	24"	12	6
11172	3.62	2 1/2"x7 1/2" Wide Brick Chisels	12	4
11173	3.94	3"x7 1/2"	12	4
11174	4.40	2"x12" Electricians Chisel	12	4
11200	1.00	3/32" Pin Punches	12	6
11201	1.00	1/8"	12	6
11202	1.00	5/32"	12	6
11203	1.12	3/16"	12	6
11204	1.12	7/32"	12	6
11205	1.16	3/16"	12	6
11206	1.16	7/32"	12	6
11207	1.20	1/4"	12	6
11208	1.56	3/32" Long Taper Punches	12	6
11209	1.62	1/8"	12	6
11210	1.70	1/4"	12	6
11211	2.74	5/32"	12	6
11212	2.70	1/4"	12	6
11215	.80	1/4" Center Punches	12	6
11216	.84	5/16"	12	6
11217	.90	3/8"	12	6
11218	1.10	1/2"	12	6
11219	.90	1/4" Prick Punches	12	6
11220	1.00	5/16"	12	6
11221	1.00	3/8"	12	6
11222	1.00	1/2"	12	6
11223	1.12	3/32" Solid Punches	12	6
11224	1.12	1/8"	12	6
11225	1.12	5/32"	12	6
11226	1.12	3/16"	12	6
11227	1.26	7/32	12	6
11228	1.26	1/4"	12	6
11235	25.22	3/8"–1–1/2" Wood Chisel Set	12	1
11236	12.10	1/4"–7/8" Cold Chisel Set	12	1
20232	.44	1/16" High Speed Drills	5	12
20332	.44	3/32"	5	12
20432	.44	1/8"	5	12
20532	.50	5/32"	5	12
20632	.64	3/16"	5	12
20732	.82	7/32"	5	12
20832	.90	1/4"	5	12
20932	1.20	9/32"	5	6
21032	1.40	5/16"	5	6
21132	1.70	11/32"	5	6
21232	2.10	3/8"	5	6
21332	2.40	13/32"	5	6
21432	2.80	7/16"	5	6
21532	3.40	15/32"	5	6
21632	3.60	1/2"	5	6
22116	.40	1/16" Split Point Stub Drills	5	12
22332	.40	3/32"	5	12
22432	.40	1/8"	5	12
22532	.46	5/32"	5	12
22632	.58	3/16"	5	12
22732	.74	7/32"	5	12
22832	.82	1/4"	5	12
22932	1.08	9/32"	5	12
22933	1.26	5/16"	5	12
25000	45.34	1/4–1" Electricians Bit Set	3	1
25001	3.36	1/4x18" Power Feeler–Bell Hanger Bits	2	6
25002	3.48	5/16x18"	2	6
25003	3.56	3/8x18"	2	6
25004	4.00	1/4x24"	2	6
25005	4.20	5/16x24"	2	6
25006	4.30	3/8x24"	2	6
25010	3.66	1/4" Power Electricians Bits	2	6
25011	3.66	3/8"	2	6
25012	4.02	1/2"	2	6
25013	4.12	5/8"	2	6
25014	4.28	11/16"	2	6
25015	4.36	3/4"	2	6
25016	4.80	13/16"	2	6
25017	5.08	7/8"	2	6
25018	5.24	15/16"	2	6
25019	5.56	1"	2	6
25021	7.34	1/2"–1 1/2" Expansive Bits	2	1
25022	9.26	7/8"–3"	2	1
25023	1.64	1/2–7/8" Expansive Bit Cutters	2	1
25024	1.86	7/8–1 1/2"	2	1
25025	2.10	7/8–1 3/4"	2	1
25026	2.36	1 3/4"–3"	2	1
25030	5.50	5/8" Extra Long Power Bits	2	6
25031	5.58	11/16"	2	6
25032	5.70	3/4"	2	6
25033	5.92	13/16"	2	6
25034	6.10	7/8"	2	6
25035	6.66	1"	2	6
25036	7.22	1 1/8"	2	6
25037	8.02	1 1/4"	2	6
25038	8.56	1 3/8"	2	6
25039	9.50	1 1/2"	2	6
25040	10.16	1 3/4"	2	6
25041	12.02	2"	2	6
25042	14.14	2 1/2"	2	6
25043	19.32	3 1/4" Pipe Bit	2	2
25045	5.30	5/8" Short Double Twist Bits	2	6
25046	5.42	11/16"	2	6
25047	5.50	3/4"	2	6
25048	5.70	13/16"	2	6
25049	5.92	7/8"	2	6
25050	6.46	1"	2	6
25051	7.02	1 1/8"	2	6
25052	7.78	1 1/4"	2	6
25053	8.36	1 3/8"	2	6
25054	8.86	1 1/2"	2	6
25055	9.92	1 3/4"	2	6
25056	11.08	2" Short Double Twist Bits	2	6
25057	13.94	2 1/2"	2	6
25058	19.18	3 1/4"	2	2
25060	5.82	5/8" Long Ship Head Bit	2	6
25061	6.04	11/16"	2	6
25062	6.26	3/4"	2	6
25063	6.56	13/16"	2	6
25064	7.08	7/8"	2	6
25065	7.80	1"	2	6
25066	9.24	1 1/8"	2	6
25067	10.16	1 1/4"	2	6
25068	13.74	1 3/8"	2	3
25069	14.66	1 1/2"	2	3
25070	20.34	1 3/4"	2	3
25071	26.06	2"	2	3
25075	7.78	7/16" Hex Impact-Wrench Bits 1/2"	3	6
25076	7.78	9/16"	3	6
25077	8.38	11/16"	3	6
25078	8.62	13/16"	3	6
25079	10.18	1–1/16"	3	6
25080	8.38	5/8" Hex Impact-Wrench Bits 1/2"	3	6
25081	8.62	" 9/16"	3	6
25082	8.86	" 11/16"	3	6
25083	9.48	" 13/16"	3	6
25085	8.38	7/16" Hex " 9/16"	3	6
25086	8.86	" 11/16"	3	6
25087	9.58	" 13/16"	3	6

Catalog No.	List Price	Description	Cat. Page	Pkg. Qty.
25088	10.20	Impact Wrench Bits 15/16"	3	6
25089	11.28	1-1/16"	3	6
25090	9.48	5/8" Hex 9/16"	3	6
25091	9.96	11/16"	3	6
25092	10.24	13/16"	3	6
25093	10.80	15/16"	3	6
25094	11.90	1-1/16"	3	6
25100	.92	1/4" Speed Bits H.S. Wood Boring	3	6
25101	.92	3/8"	3	6
25102	.92	1/2"	3	6
25103	1.04	5/8"	3	6
25104	1.04	11/16"	3	6
25105	1.04	3/4"	3	6
25106	1.04	13/16"	3	6
25107	1.04	7/8"	3	6
25108	1.08	1"	3	6
25109	1.60	1 1/8"	3	6
25110	1.60	1 1/4"	3	6
25120	5.82	5/8" Pole Bits	3	6
25121	6.04	11/16"	3	6
25122	6.26	3/4"	3	6
25123	6.56	13/16"	3	6
25124	7.08	7/8"	3	6
25125	7.80	1"	3	6
25126	9.24	1 1/8"	3	6
25127	10.16	1 1/4"	3	6
25128	13.74	1 3/8"	3	3
25129	14.66	1 1/2"	3	3
25130	20.34	1 3/4"	3	3
25131	26.06	2"	3	3
25140	3.56	18" Power Extension 1/4" Hex Drive	3	6
25141	4.40	24"	3	6
25150	3.98	18" Power Extension 7/16" Hex Drive	3	6
25151	5.00	24"	3	6
26000	51.52	13/16"-2" Power Bit Sets	4	1
26001	59.72	1"-2 1/2"	4	1
26002	44.50	5/8"-1 3/4"	4	1
26003	54.14	3/4"-2 1/2"	4	1
26010	3.36	1/4x18" Brace Feeler Bits	4	6
26011	3.48	5/16x18"	4	6
26012	2.56	3/8x18"	4	6
26013	4.00	1/4x24"	4	6
26014	4.20	5/16x24"	4	6
26015	4.30	3/8x24"	4	6
26120	3.80	11/16" Electricians Hand Bit	4	6
26121	3.90	3/4"	4	6
26122	4.28	13/16"	4	6
26123	4.66	7/8"	4	6
26135	3.68	5/8" Plumbers Bit-Short Pattern	4	6
26136	3.68	11/16"	4	6
26137	3.68	3/4"	4	6
26138	3.88	13/16"	4	6
26139	4.04	7/8"	4	6
26140	4.30	15/16"	4	6
26141	4.60	1"	4	6
26142	6.00	1 1/8"	4	6
26143	6.38	1 1/4"	4	6
26144	6.96	1 3/8"	4	6
26145	7.90	1 1/2"	4	6
26146	9.56	1 3/4"	4	6
26147	11.30	2"	4	6
26148	13.82	2 1/2"	4	6
26160	5.66	1/2-1 1/2" Expanisve Bits	4	1
26161	6.76	7/8-3"	4	1
26163	1.64	1/2-7/8" Expansive Bit Cutters	4	1
26164	1.86	7/8-1 1/2"	4	1
26165	2.10	7/8-1 3/4"	4	1
26166	2.36	1 3/4"-3"	4	1
26170	6.94	18" Extension-Hand Brace	4	6
27101	1.48	1/8x3" Masonry Bits	5	6
27102	1.48	3/16x3"	5	6
27103	1.48	1/4x4"	5	6
27104	4.34	1/4x12"	5	6
27105	4.82	1/4x18"	5	6
27106	1.62	5/16x4"	5	6
27107	4.54	5/16x12"	5	6
27108	5.46	5/16x18"	5	6
27109	1.74	3/8x4"	5	6
27110	5.46	3/8x12"	5	6
27111	6.02	3/8x18"	5	6
27112	2.30	1/2x6"	5	6
27113	6.44	1/2x12"	5	6
27114	7.28	1/2x18"	5	6
27115	3.22	5/8x6"	5	6
27116	6.70	5/8x12"	5	6
27117	8.54	5/8x18"	5	6
27118	4.26	3/4x6"	5	6
27119	9.10	3/4x12"	5	6
27120	9.80	3/4x18"	5	6
27225	14.12	7/8" Hollow Core Bits	5	1
27226	15.00	1"	5	1
27227	16.16	1 1/8"	5	1
27228	19.04	1 1/4"	5	1
27229	23.10	1 1/2"	5	1
27230	27.72	1 3/4"	5	1
27231	33.98	2"	5	1
28003	.82	1/4" Star Drills	5	6
28004	.82	3/8"	5	6
28005	.94	1/2"	5	6
28006	1.12	5/8"	5	6

Catalog No.	List Price	Description	Cat. Page	Pkg. Qty.
28007	1.32	3/4" Star Drills	5	6
28008	1.68	7/8"	5	6
28009	1.94	1"	5	6
28010	2.24	1 1/8"	5	6
28011	2.68	1 1/4"	5	4
30001	4.96	Ceiling Iron	16	6
30002	2.14	9" Double Iron	16	6
30003	2.10	6" On Iron	16	6
30004	2.10	6" Off Iron	16	6
30005	3.20	10" Left Iron	16	6
30006	3.20	10" Right Irons	16	6
30007	1.90	8" Long Iron	16	6
30008	1.86	6 1/2" Short Iron	16	6
30009	1.58	4 1/2" Inside Iron	16	6
30010	1.58	4 1/2" Outside Iron	16	6
30011	1.30	Inside-Midget Curved Nose	16	6
30012	1.30	Outside-Midget Curved Nose	16	6
30013	2.18	Broad Nose Curved Iron	16	6
30014	2.36	"	16	6
30015	3.32	"	16	6
30016	1.86	Straight Nose Iron	16	6
30017	1.86	Straight Inside Iron	16	6
30018	1.86	Offset Inside Iron	16	6
30019	1.86	Offset Outside Iron	16	6
30020	1.90	5/8" Curved Offset Inside Iron	16	6
30021	1.90	5/8" Curved Offset Outside Iron	16	6
30022	1.90	7/8" Inside	16	6
30023	1.90	7/8" Outside	16	6
30024	1.94	8" Long Curved Nose Iron	16	6
30025	1.86	Short Nose Packer	16	6
30026	1.90	9" Offset Packing Tool	16	6
30027	1.90	10" Offset Packing Tool	16	6
30028	2.98	11" Offset Packing Tool	16	6
30029	3.06	13 1/2" Offset Packing Tool	16	6
30030	2.52	14" Offset Packing Tool	16	6
30031	2.78	15" Offset Packing Tool	16	6
30032	2.94	16" Offset Packing Tool	16	6
30033	1.90	10" Straight Packing Tool	16	6
30034	2.52	14" "	16	6
30035	2.94	16" "	16	6
30036	3.16	18" "	16	6
30037	2.68	1/8x8 1/2" Water Main Iron	16	6
30038	2.68	3/16x8 1/2"	16	6
30039	2.56	3/16x9 Inside	16	6
30040	2.56	3/16 Outside Water Main Iron	16	6
30041	2.68	1/4"	16	6
30042	2.56	1/4 Inside Iron	16	6
30043	2.56	1/4" Outside Iron	16	6
30044	2.68	5/16"	16	6
30045	2.68	3/8"	16	6
30046	2.68	1/2"	16	6
30047	2.68	5/8"	16	6
30048	2.10	Left Lead Picking Tool	16	6
30049	2.10	Right Lead Picking Tool	16	6
30050	1.94	7" Trimming Iron	16	6
30051	1.76	10 1/2"	16	6
40136	5.86	Linesmans Knife	13	6
40137	3.76	Electrician Knife	13	6
40138	.68	Utility Knife	11	12
40139	1.80	Retractable Utility Knife	11	12
40140	10.86	Replacement Blades for #40139	11	100
40141	9.54	Replacement Blades for #40138	11	100
44122	5.58	12 oz. Fibreglass Ball Pein Hammer	6	6
44125	1.14	Replacement Handle for 8 & 12 oz. B.P.	6	6
44126	1.20	12 & 20 oz. B.P.	6	6
44127	1.44	24 oz. B.P.	6	6
44128	1.48	32 oz. B.P.	6	6
44129	1.68	2, 3 4 Drilling	6	6
44130	1.14	20 oz. Rip	6	6
44131	1.14	16 oz. Rip & Claw	6	6
44160	4.20	16 oz. Ball Pein Hammer	6	6
44161	6.00	16 oz. Fibreglass Ball Pein	6	6
44162	6.32	16 oz " Claw	6	6
44163	6.32	16 oz. " Rip	6	6
44166	5.10	16 oz. Claw Hammer	6	6
44184	5.84	18 oz. Electricians Rip	6	6
44200	5.40	20 oz. Rip	6	6
44201	4.52	20 oz. Ball Pein	6	6
44202	6.84	20 oz. Fibreglass Ball Pein	6	6
44203	6.92	20 oz. " Rip	6	6
44220	3.78	12 oz. Ball Pein	6	6
44242	5.02	24 oz. Ball Pein	6	6
44244	7.30	24 oz. Fibreglass Ball Pein	6	6
44322	7.94	32 oz. " " "	6	6
44324	5.86	32 oz. Ball Pein	6	6
44326	5.10	16 oz. Rip Hammer	6	6
44342	7.36	2 lb. Drilling Hammer	6	6
44343	7.64	3 lb. " "	6	6
44344	7.92	4 lb. " "	6	6
44830	3.48	8 oz. Ball Pein	6	6
45250	3.02	18" Wrecking Bars	6	6
45251	3.80	24" " "	6	6
45252	2.56	11 1/2" Nail Puller	6	6
46107	3.70	9" Torpedo Level	7	6
46108	4.62	9" Magnetic Torpedo	7	6
46109	6.22	18" Level	7	1
46110	9.82	48" Uni-Vial Level	7	1
46111	11.34	48" 6-Vial Level	7	1
46112	6.72	24" Level	7	1
46113	1.62	12" Square	7	6

Catalog No.	List Price	Description	Cat. Page	Pkg. Qty.
46114	3.14	24" Square	7	1
46115	11.20	48" "	7	1
46116	3.28	36" Aluminum Straight Edge	8	3
46117	4.68	48"	8	3
46118	5.90	60"	8	3
46119	11.24	3" Line Level (Per Dozen)	8	12
46120	5.38	6' Extension Rule	8	6
46121	1.94	6' Standard Rule Outside	8	12
46122	1.94	6' " " Inside	8	12
46123	3.20	6' Deluxe Outside Rule	8	6
46124	3.20	6' " Inside "	8	6
47004	4.08	4" Adjustable Wrenches–Chrome Finish	13	1
47006	4.12	6"	13	1
47008	4.70	8"	13	1
47010	5.98	10"	13	1
47012	8.66	12"	13	1
47015	13.14	15"	13	1
48004	3.26	4" Adjustable Wrenches–Black Finish	13	1
48006	3.32	6"	13	1
48008	4.02	8"	13	1
48010	4.86	10"	13	1
48012	7.28	12"	13	1
48015	11.72	15"	13	1
48018	17.34	18"	13	1
48100	2.60	4" Faucet Wrenches	13	6
48101	2.46	8 1/4"	13	6
48102	2.20	10" Spud Wrench	13	6
49001	1.02	1/4" Flaring Tools	13	6
49002	1.02	3/8"	13	6
49003	1.22	1/2"	13	6
49004	1.40	3/4"	13	6
49005	1.90	1"	13	6
49006	2.86	1 1/4"	13	6
49007	3.28	1 1/2"	13	6
49008	5.00	2"	13	6
49010	4.16	1/8–1 1/8" Tube Cutter	13	6
49011	7.04	3/16–5/8" Flare	13	1
49012	4.58	3/8–3/4 Swedging Tool	13	6
49013	.78	1/4" Tube Benders	13	6
49014	.84	3/8"	13	6
49015	1.02	1/2"	13	6
50001	1.32	11 pc. Hex Key Wrench Set	14	1
50002	1.50	9 pc.	14	1
50010	.10	.050 Hex Keys–Short Arm Pattern	14	6
50011	.10	1/16"	14	6
50012	.10	5/64"	14	6
50013	.12	3/32"	14	6
50014	.12	1/8"	14	6
50015	.14	5/32"	14	6
50016	.16	3/16"	14	6
50017	.18	7/32"	14	6
50018	.20	1/4 "	14	6
50019	.32	5/16"	14	6
50020	.42	3/8"	14	6
50112	.12	5/64" Hex Keys–Long Arm Pattern	14	6
50113	.14	3/32"	14	6
50114	.16	1/8	14	6
50115	.18	5/32	14	6
50116	.20	3/16"	14	6
50117	.22	7/32"	14	6
50118	.26	1/4"	14	6
50119	.42	5/16"	14	6
50120	.66	3/8"	14	6
51364	4.00	Utility Tool Box	11	12
52299	13.00	Mechanics Tool Box	11	4
53289	20.42	Carpenters Tool Box	11	1
55200	1.14	5 oz. Plumbobs	13	6
55201	1.50	8 oz.	13	6
59020	1.44	1/8 Copper Fitting Brushes	13	6
59021	1.44	1/4"	13	6
59022	1.44	3/8"	13	6
59023	1.44	1/2"	13	6
59024	1.54	5/8"	13	6
59025	1.54	3/4" Copper Fitting Brushes	13	6
59026	1.54	1"	13	6
59027	1.64	1 1/4"	13	6
59028	1.64	1 1/2"	13	6
59029	1.64	2"	13	6
59030	1.40	1/4" Tube Cleaning Brushes	13	6
59031	1.40	3/8"	13	6
59032	1.64	1/2"	13	6
59033	1.86	5/8"	13	6
59034	1.86	3/4"	13	6
59035	2.10	7/8"	13	6
59036	2.10	1"	13	6
62000	.98	Wooden Compass Saw Handle	14	6
62001	2.64	Aluminum " " "	14	1
62003	1.72	10" 8T Compass Saw Blades	14	10
62004	1.90	12" 8T	14	10
62005	2.08	14" 8T	14	10
62006	1.72	10" 13T	14	10
62007	1.90	12" 13T	14	10
62008	2.08	14" 13T	14	10
62010	1.26	9 1/2" Baby Frame Hack Saw	14	12
62011	.20	6" 32T	14	100
62015	6.42	20" 8T Hand Saw	14	6
62101	6.30	Heavy Duty Hack Saw Frame	14	1
62102	1.96	Standard " " " "	14	4
62118	.78	10x18 H.S. Flex Hack Saw Blades	14	10
62124	.78	10x24	14	10

Catalog No.	List Price	Description	Cat. Page	Pkg. Qty.
62132	.78	10x32 H.S. Flex Hack Saw Blades	14	10
62218	.86	12x18 "	14	10
62224	.86	12x24 "	14	10
62232	.86	12x32 "	14	10
63118	.22	10x18 Standard Duty Flex Saw Blades	14	10
63124	.22	10x24	14	10
63132	.22	10x32	14	10
63218	.26	12x18	14	10
63224	.26	12x24	14	10
63232	.26	12x32	14	10
	LIST PER BOX			Pkg. Qty. Per Box
63350	4.40	3–5/8"–7T Reciprocating Blds	15	10
63603	5.00	6"–3T	15	10
63607	5.80	6"–7T	15	10
63608	3.60	6"–8T	15	10
63610	3.00	6"–10T	15	10
	LIST EACH			Pkg. Qty. P.Bx
64020	.35	3 1/2"–7T Sabre Saw Blades	15	10
64021	.35	3 1/2"–10T	15	10
64024	.60	3 1/2"–7T	15	10
64032	.90	2 Way	15	10
64051	.45	3 1/8"–14T	15	10
64052	.45	3 1/8"–18T	15	10
64054	.45	3 1/8"–32T	15	10
	LIST PER BOX			Pkg. Qty. Per Box
64314	6.50	3 5/8"–14T Reciprocating Bldes	15	10
64324	6.50	3 5/8"–24T	15	10
65418	4.30	4"–18T	15	10
65432	4.30	4"–32T	15	10
65614	7.20	6"–14T	15	10
65618	7.20	6"–18T	15	10
65624	7.20	6"–24T	15	10
68502	1.06	3 1/2" Scratch Awls	9	6
68503	1.70	4 1/2"	9	6
78001	1.70	50 ft. Chalk Reels	8	1
78002	2.02	100 ft.	8	1
78111	1.28	6 ft. Push-Pull Tapes	8	6
78112	1.50	10 ft.	8	6
78114	3.14	10 ft. Automatic Tapes	8	6
78115	5.04	12 ft.	8	6
78116	5.60	16 ft.	8	6
78123	4.28	4 1/2" Diagonal Pliers	10	6
78124	4.82	6"	10	6
78125	5.74	7"	10	6
78126	4.92	7" Heavy Duty	10	1
78127	4.82	6" Needle Nose	10	6
78128	5.60	7 1/2"	10	6
78129	5.76	7" Electricians Pliers	10	1
78130	2.88	10" Economy Groove Joint	10	6
78131	4.40	10" Chrome Finish	10	6
78132	2.00	5" Water Pump	10	6
78133	4.22	12" Economy Grove Joint Plier	10	6
78134	3.76	12" Water Pump Pliers	10	6
78135	1.80	6" Economy Slip Joint	10	6
78136	1.88	6 1/2"	10	6
78137	2.10	8"	10	6
78138	2.58	6 1/2" Chrome Finish Slip Joint	10	6
78139	2.94	8"	10	6
78140	3.82	7 1/2" Locking	10	1
78141	4.20	10"	10	1
78142	6.76	14" Heavy Duty Groove Joint	10	1
78143	8.84	9" Linesmans	10	1
78144	4.36	8" Heavy Duty Slip Joint	10	1
78145	5.20	10"	10	1
78146	9.30	7" Bx Cutters	10	1
78147	1.40	4 1/4" Plier Grips	10	1
78148	1.48	5 1/4"	10	1
78149	1.64	6"	10	1
78150	12.96	10" Metal Nibbler	10	1
47018	22.02	18" Chrome Adj. Wrench	13	1
78003	.70	1/2 lb. Chalk Refill	8	6